

CNT 5412, SPRING 2025

PUBLIC-KEY ENCRYPTION

VIET TUNG HOANG

Some slides are based on material from Prof.
Stefano Tessaro, University of Washington

Agenda

1. High-level PKE

2. Building PKE



3. Padding-oracle attack on PKCS₁

4. CCA Security and OAEP


5. App: Authenticated Key Exchange

Motivation


Problem: Alice and Bob must be online simultaneously for key exchange



Public-Key Encryption (PKE): Syntax



PKE Usage




Alice generates a pair of secret key and public key.


She keeps sk to herself, and stores pk in a public, trusted database.

PKE Usage

First retrieve Alice's public key



pk



$\mathcal{E}_{pk}(M)$




Alice can later decrypt using her secret key

Then email the encrypted message to Alice under her public key

Exercise: Sharing Encrypted Files

Encrypt a file so that when we place the ciphertext in a shared folder, only selected people can decrypt, assuming everybody has a public key

Encrypted file



Alice

Bob

Carol

Dave

PKE: CPA Security


- Similar to the Left-or-Right security of Symmetric encryption
- **Difference:** The adversary is given the public key

Left

```
procedure Enc( $m_0, m_1$ )  
Return  $\mathcal{E}_{pk}(m_0)$ 
```

Right

```
procedure Enc( $m_0, m_1$ )  
Return  $\mathcal{E}_{pk}(m_1)$ 
```




Performance Issue


Standard PKE schemes can only encrypt short messages (say ≤ 2048 bits)

How should we encrypt long ones?

A (not so good) solution:




- Break the message into small chunks
- Encrypt each chunk individually



Problem: PKE is very expensive, so this solution is several thousands times slower than AES-CTR

Hybrid Encryption



-Generate a random key K

-Encrypt the key K by PKE, and use CTR under key K to encrypt the message

Can replace CTR by your favorite symmetric encryption

Agenda

1. High-level PKE

2. Building PKE

3. Padding-oracle attack on PKCS1

4. CCA Security and OAEP

5. App: Authenticated Key Exchange

Number Theory Basics

For $n \in \{1, 2, 3, \dots\}$, define

$$\mathbb{Z}_n^* = \{t \in \mathbb{Z}_n \mid \gcd(t, n) = 1\}$$

$$\varphi(n) = |\mathbb{Z}_n^*|$$

Theorem:

- For any $s \in \mathbb{Z}_n^*$, $s^{\varphi(n)} \equiv 1 \pmod{n}$
- φ is **multiplicative**: if $\gcd(a, b) = 1$ then $\varphi(ab) = \varphi(a)\varphi(b)$

Examples: For distinct primes p and q :

$$\varphi(p) = p - 1$$

$$\varphi(pq) = (p - 1)(q - 1)$$




RSA

The RSA Function

Given $e, d \in \mathbb{Z}_{\varphi(n)}^*$ such that $ed \equiv 1 \pmod{\varphi(n)}$

Define a permutation f and its inverse f^{-1} as follows:



Exercise: Try $n = 55$ and $e = 3$

A Bad PKE: Plain RSA

Often $e = 3$ for efficiency

Key generation:

- Pick two large primes p, q and compute $n = pq$
- Pick $e, d \in \mathbb{Z}_{\varphi(n)}^*$ such that $ed \equiv 1 \pmod{\varphi(n)}$
- Return $pk \leftarrow (n, e), sk \leftarrow (n, d)$

Encryption:

- To encrypt message x under $pk = (n, e)$, return $c \leftarrow x^e \pmod{n}$

Decrypt:

- To decrypt a ciphertext c under $sk = (n, d)$, return $x \leftarrow c^d \pmod{n}$

Cracking Plain RSA: First Attempt

$$ed \equiv 1 \pmod{(p-1)(q-1)}$$

Public $e, N=pq$



Secret d

Require factoring N , which is a hard problem

A plausible attack:

- Recover $(p-1)(q-1)$
- Compute d such that $ed \equiv 1 \pmod{(p-1)(q-1)}$

$O(\log(N))$ time using (extended) Euclidean algorithm

Question: Given $N=pq$ and $(p-1)(q-1)$, recover p and q

Cracking Plain RSA: Second Attempt

For $e = 3$, a very common choice

For small messages $x < n^{1/3}$:

$$c = x^3 \pmod n \quad \longrightarrow \quad x = c^{1/3}$$

Exercise: Recover message x when one encrypts

$x, x + 1, x + 2$

Why Is Plain RSA Bad?

It doesn't meet the CPA notion

Reason: Plain RSA is **deterministic**

In 2016, QQ Browser was found to use Plain RSA to encrypt user data.

China's Top Web Browsers Leave User Data Vulnerable, Group Says

Report from Citizen Lab accuses Tencent of weak encryption practices with its QQ Browser

By Juro Osawa and Eva Dou


March 28, 2016 5:00 p.m. ET

What Plain RSA Gives: Trapdoor permutation

A triple of algorithms (Gen, Samp, Inv)

$(f, d) \leftarrow_{\$} \text{Gen}$, with $f : \text{Dom} \rightarrow \text{Range}$

For $x \leftarrow_{\$} \text{Samp}$, it's easy to compute $y = f(x)$, but hard to invert $f^{-1}(y)$ without knowing the trapdoor d




Building PKE from Trapdoor Permutation

Plain RSA \rightarrow Hashed RSA

Given a trapdoor permutation $(\text{Gen}, \text{Samp}, \text{Inv})$ and a hash function H

Key generation: Run $(f, d) \leftarrow_{\$} \text{Gen}$ and return $pk \leftarrow f, sk \leftarrow d$

Encryption: To encrypt message M under $pk = f$



Question: How to decrypt?

Agenda

1. High-level PKE

2. Building PKE

3. Padding-oracle attack on PKCS₁

4. CCA Security and OAEP


5. App: Authenticated Key Exchange

PKCS #1 Encryption

encrypt byte strings only


Give shorter ciphertexts than Hashed RSA

Uses [encrypt-with-redundancy](#) paradigm: Decryption will reject if the format is incorrect



Padding-Oracle Attack

Context: Alice is establishing a TLS session with a server



Adversary uses server as a decryption oracle by observing server's accepting/rejecting of its fake ciphertexts

Padding-Oracle Attack

Recall $C = X^e \bmod n$, with $pk = (e, n)$

Padded message

Pick some r



$$C' \leftarrow Cr^e \bmod n$$


$$(Xr)^e \bmod n$$



Accept only if Xr has valid PKCS encoding

By using several r , can fully recover X , and also M

Illustrative Toy Problem



Only encrypt $M < n/2$



$$C' \leftarrow Cr^e \bmod n$$




Accept only if
 $(Xr \bmod n) < n/2$

$$C' = (Xr)^e \bmod n \text{ since } C = X^e \bmod n$$

Key Idea: Binary Search

Initial search range of X : $\{0, \dots, n - 1\}$

At each step, try to half the range of X by carefully choosing r



A Quick Fix and Its Problem

Want: Change only server side, for backward compatibility

The change in TLS 1.0:

- If format or length of the decrypted message is incorrect, decryption returns a random 48-byte strings

Hiding decryption failure



Problem: Might be **broken** if implementation is not done properly to ensure that the timing is constant in both decryption success and failure.

Agenda

1. High-level PKE

2. Building PKE

3. Padding-oracle attack on PKCS₁

4. CCA Security and OAEP

5. App: Authenticated Key Exchange

Resisting Padding-Oracle Attacks: CCA Security


Left

```
procedure Enc( $m_0, m_1$ )  
Return  $\mathcal{E}_{pk}(m_0)$ 
```

Right

```
procedure Enc( $m_0, m_1$ )  
Return  $\mathcal{E}_{pk}(m_1)$ 
```

A is **prohibited** from feeding ctx from Enc to Dec.





Achieving CCA Security: OAEP



Use: 1024-bit Plain RSA and **two** hash functions H and G


Modeled as independent random oracles

How to get two hash functions from SHA-256: **Domain separation**




OAEP Design: Feistel Networks

One round Feistel



Inverse of Feistel




Question: How to invert?


OAEP Design: Feistel Networks

Design paradigm: Two-round (unbalanced) Feistel


Feistel (in **decryption**)



Inverse Feistel (in **encryption**)




OAEP Encryption



Use **encrypt-with-redundancy**.

OAEP Decryption



If $X[1 : 128] = 0^{128}$ then
Decode X to get M
Else return \perp

Agenda

1. High-level PKE

2. Building PKE


3. Padding-oracle attack on PKCS₁

4. CCA Security and OAEP


5. App: Authenticated Key Exchange

Motivation

Previously: Diffie-Hellman doesn't work for active adversaries




Asymmetric Authenticated Key Exchange



Bank doesn't know who it's establishing the key with.
That's why you still need to log in using your password.

First Attempt



$$K \leftarrow \{0, 1\}^k$$

$$\mathcal{E}(pk_B, K)$$




$$pk_B$$



Question: Does this work?

Simple Asymmetric AKE



Question: What property do we want from the scheme?